Title Index of Volume 36, 1998

Volume 36, Number 1

Modifications of Combined Mathematical Model of Flow in an Aquifer-Vertical Well System, by M. Tarshish; 7-8.

Effect of Sewage Sludge on Formation of Acidic Ground Water at a Reclaimed Coal Mine, by C.A. Cravotta III; 9-19.

Development of a Preliminary Ground Water Flow Model for Water Resources Management in the Pingtung Plain, Taiwan, by C.-S. Ting, Y. Zhou, J.J. deVries, and I. Simmers; 20-36.

How Good Are Estimates of Transmissivity from Slug Tests in Fractured Rock? by A.M. Shapiro, and P.A. Hsieh; 37-48.

How Uncertain Is Our Estimate of a Wellhead Protection Zone? by S. Evers, and D.N. Lerner; 49-57.

Factors Influencing Methane Distribution in Texas Ground Water, by C. Zhang, E.L. Grossman, and J.W. Ammerman; 58-66.

Impacts of Positive Skin Effects on Borehole Flowmeter Tests in a Heterogeneous Granular Aquifer, by S. Young; 67-75.

Simulated Effects of Irrigation on Salinity in the Arkansas River Valley in Colorado, by K. Goff, M.E. Lewis, M.A. Person, and L.F. Konikow; 76-86.

Absolute Hydraulic Conductivity Estimates from Aquifer Pumping and Tracer Tests in a Stratified Aquifer, by K.W. Thorbjarnarson, D. Huntley, and J.J. McCarty; 87-97.

Productivity Comparison of Horizontal and Vertical Ground Water Remediation Well Scenarios, by C.S. Sawyer, and K.K. Lieuallen-Dulam; 98-103.

Development of Three-Dimensional Hydrostratigraphical Architecture of the Unsaturated Zone Based on Soft and Hard Data, by E. Langsholt, N.-O. Kitterød, and L. Gottschalk; 104-111.

Rhodamine WT and Bacillus subtilis Transport through an Alluvial Gravel Aquifer, by L. Pang, M. Close, and M. Noonan; 112-122.

Modeling the Fate and Transport of Household Chemicals in Septic Systems, by S. Lee, D.C. McAvoy, J. Szydlik, and J.L. Schnoor; 123-132.

Dissolved Gas Transport in the Presence of a Trapped Gas Phase: Experimental Evaluation of a Two-Dimensional Kinetic Model, by J.H. Donaldson, J.D. Istok, and K.T. O'Reilly; 133-142.

Radon in Quaternary Aquifers Related to Underlying Bedrock Geology, by G. Morland, T. Strand, L. Furuhaug, H. Skarphagan, and D. Banks; 143-146.

A Nonlinear Time Series Model for Spring Flow: An Example from Shanxi Province, China, by W.-B. Jian, H. Yao, X.-H. Wen, and B.-R. Chen; 147-150.

Efficient and Responsible Use of Prior Information in Inverse Methods, by R. Weiss, and L. Smith; 151-163.

Long-Term Performance of an In Situ "Iron Wall" for Remediation of VOCs, by S.F. O'Hannesin, and R.W. Gillham; 164-170.

Ground Water Age and Nitrate Distribution Within a Glacial Aquifer Beneath a Thick Unsaturated Zone, by C.T. Johnston, P.G. Cook, S.K. Frape, L.N. Plummer, E. Busenberg, and R.J. Blackport; 171-180.

Volume 36, Number 2

Drawdowns in Coupled Aquifers with Confining Unit Storage and ET Reduction, by R.E. Denis, and L.H. Motz; 201-207.

Ground Water Contaminant Source and Transport Parameter Identification by Correlation Coefficient Optimization, by P. Sidauruk, A.H.-D. Cheng, and D. Ouazar; 208-214.

A Numerical Model for Simulation of Bioremediation of Hydrocarbons in Aquifers, by J.F. Muñoz, and M.J. Irarázaval; 215-224.

Conducting and Interpreting Slug Tests in Monitoring Wells with Partially Submerged Screens, by G.K. Binkhorst, and G.A. Robbins; 225-229.

Model Identification Criteria for Inverse Estimation of Hydraulic Parameters, by Y. Hyun, and K.-K. Lee; 230-239.

Utilization of Intrinsic Boron Isotopes as Co-Migrating Tracers for Identifying Potential Nitrate Contamination Sources, by J.M. Leenhouts, R.L. Bassett, and T. Maddock III; 240-250.

Obtaining Representative Ground Water Samples in a Fractured and Karstic Formation, by J. McCarthy, and L. Shevenell; 251-260.

A Comparison of Zero-Order, First-Order, and Monod Biotransformation Models, by B.A. Bekins, E. Warren, and E.M. Godsy; 261-268.

Predicting the Probability Distribution of Yield from Multiple Boreholes in Crystalline Bedrock, by D. Banks; 269-274.

Anomalously High Nitrate Concentrations in Ground Water, by J. Guimerà 275-282.

The Influence of Waterflood Design on the Recovery of Mobile DNAPLs, by J.I. Gerhard, and B.H. Kueper, G.R. Hecox; 283-292.

Determining Vertical Anisotropy Ratio Using a Graphical, Iterative Procedure Based on the Hantush Equation, by D.C. Schafer; 293-304.

Relationship Between Pumping-Test and Slug-Test Parameters: Scale Effect or Artifact? by J.J. Butler Jr., and J.M. Healey; 305-313.

Simplified Method of "Push-Pull" Test Data Analysis for Determining In Situ Reaction Rate Coefficients, by R. Haggerty, M.H. Schroth, and J.D. Istok; 314-324.

Behavior of Nitrate-Nitrogen Movement Around a Pumping High-Capacity Well: A Field Example, by J.F. Ayers, X. Chen, and D.C. Gosselin; 325-337.

Uses of Chloride/Bromide Ratios in Studies of Potable Water, by S.N. Davis, D.O. Whittemore, and J. Fabryka-Martin; 338-350.

Prediction of Regional Ground Water Flow to Streams, by S. Christensen, K.R. Rasmussen, and K. Møller; 351-360.

Use of Solute and Isotopic Composition of Ground Water to Constrain the Ground Water Flow System of the Azraq Area, Jordan, by N.S. Abu-Jaber, A.J. Ali, and K. Al Qudah; 361-365.

Solution of Ground Water Flow Problems with General Purpose and Special Purpose Computer Codes, by M.M. Gribb, and G. Sewell; 366-372.

AIRSLUG: A Fortran Program for the Computation of Type Curves to Estimate Transmissivity and Storativity from Prematurely Terminated Air-Pressurized Slug Tests, by E.A. Greene, and A.M. Shapiro; 373-375.

Volume 36, Number 3

Solute Changes During Aquifer Storage Recovery Testing in a Limestone/Clastic Aquifer, by J.E. Mirecki, B.G. Campbell, K.J. Conlon, and M.D. Petkewich; 394-403.

A Two-Tiered Approach to Reactive Transport: Application to Sr Mobility Under Variable pH, by L. Toran, S. Bryant, J. Saunders, and M.F. Wheeler; 404-408.

Assessment of Hydraulic Parameters of the Aquifers Around the Sea of Galilee, by G. Bergelson, R. Nativ, and A. Bein; 409-417.

Spatial Variation in Nitrogen Isotope Values Beneath Nitrate Contamination Sources, by G.E. Fogg, D.E. Rolston, D.L. Decker, D.T. Louie, and M.E. Grismer; 418-426.

Pumping Test Analysis for a Tidally Forced Aquifer, by M.G. Trefry, and C.D. Johnston; 427-433.

Using Stable Isotopes of Water and Strontium to Investigate the Hydrology of a Natural and a Constructed Wetland, by R.J. Hunt, T.D. Bullen, D.P. Krabbenhoft, and C. Kendall; 434-443.

A Measurement System to Determine Water Flux and Solute Transport Through Fractures in the Unsaturated Zone, by O. Dahan, R. Nativ, E. Adar, and B. Berkowitz; 444-449.

The Effects of Pore Pressure on the Conductivity of Fractured Aquifers, by J.S. Reichard, and D.I. Leap; 450-456.

Determination of Variances for Maximum and Minimum Transmissivities of Anisotropic Aquifers from Multiple Well Pumping Test Data, by J.W. Kern, and C.W. Dobson; 457-464.

Suitability of Parametric Models to Describe the Hydraulic Properties of an Unsaturated Coarse Sand and Gravel, by A. Mace, D.L. Rudolph, and R.G. Kachanoski; 465-475.

A Decision Support Model to Assess Vulnerability to Salt Water Intrusion in the Great Bend Prairie Aquifer of Kansas, by M. Sophocleous, and T. Ma; 476-483.

Preferential Flow and Transport of Nitrate and Bromide in Claypan Soil, by B.P. Kelly, and M.L. Pomes; 484-494.

Field Evaluation of Interfacial and Partioning Tracers for Characterization of Effective NAPL-Water Contact Areas, by M.D. Annable, J.W. Jawitz, P.S.C. Rao, D.P. Dai, H. Kim, and A.L. Wood; 495-502.

Title Index of Volume 36, 1998

Volume 36, Number 1

Modifications of Combined Mathematical Model of Flow in an Aquifer-Vertical Well System, by M. Tarshish; 7-8.

Effect of Sewage Sludge on Formation of Acidic Ground Water at a Reclaimed Coal Mine, by C.A. Cravotta III; 9-19.

Development of a Preliminary Ground Water Flow Model for Water Resources Management in the Pingtung Plain, Taiwan, by C.-S. Ting, Y. Zhou, J.J. deVries, and I. Simmers; 20-36.

How Good Are Estimates of Transmissivity from Slug Tests in Fractured Rock? by A.M. Shapiro, and P.A. Hsieh; 37-48.

How Uncertain Is Our Estimate of a Wellhead Protection Zone? by S. Evers, and D.N. Lerner; 49-57.

Factors Influencing Methane Distribution in Texas Ground Water, by C. Zhang, E.L. Grossman, and J.W. Ammerman; 58-66.

Impacts of Positive Skin Effects on Borehole Flowmeter Tests in a Heterogeneous Granular Aquifer, by S. Young; 67-75.

Simulated Effects of Irrigation on Salinity in the Arkansas River Valley in Colorado, by K. Goff, M.E. Lewis, M.A. Person, and L.F. Konikow; 76-86.

Absolute Hydraulic Conductivity Estimates from Aquifer Pumping and Tracer Tests in a Stratified Aquifer, by K.W. Thorbjarnarson, D. Huntley, and J.J. McCarty; 87-97.

Productivity Comparison of Horizontal and Vertical Ground Water Remediation Well Scenarios, by C.S. Sawyer, and K.K. Lieuallen-Dulam; 98-103.

Development of Three-Dimensional Hydrostratigraphical Architecture of the Unsaturated Zone Based on Soft and Hard Data, by E. Langsholt, N.-O. Kitterød, and L. Gottschalk; 104-111.

Rhodamine WT and Bacillus subtilis Transport through an Alluvial Gravel Aquifer, by L. Pang, M. Close, and M. Noonan; 112-122.

Modeling the Fate and Transport of Household Chemicals in Septic Systems, by S. Lee, D.C. McAvoy, J. Szydlik, and J.L. Schnoor; 123-132.

Dissolved Gas Transport in the Presence of a Trapped Gas Phase: Experimental Evaluation of a Two-Dimensional Kinetic Model, by J.H. Donaldson, J.D. Istok, and K.T. O'Reilly; 133-142.

Radon in Quaternary Aquifers Related to Underlying Bedrock Geology, by G. Morland, T. Strand, L. Furuhaug, H. Skarphagan, and D. Banks; 143-146.

A Nonlinear Time Series Model for Spring Flow: An Example from Shanxi Province, China, by W.-B. Jian, H. Yao, X.-H. Wen, and B.-R. Chen; 147-150.

Efficient and Responsible Use of Prior Information in Inverse Methods, by R. Weiss, and L. Smith; 151-163.

Long-Term Performance of an In Situ "Iron Wall" for Remediation of VOCs, by S.F. O'Hannesin, and R.W. Gillham; 164-170.

Ground Water Age and Nitrate Distribution Within a Glacial Aquifer Beneath a Thick Unsaturated Zone, by C.T. Johnston, P.G. Cook, S.K. Frape, L.N. Plummer, E. Busenberg, and R.J. Blackport; 171-180.

Volume 36, Number 2

Drawdowns in Coupled Aquifers with Confining Unit Storage and ET Reduction, by R.E. Denis, and L.H. Motz; 201-207.

Ground Water Contaminant Source and Transport Parameter Identification by Correlation Coefficient Optimization, by P. Sidauruk, A.H.-D. Cheng, and D. Ouazar; 208-214.

A Numerical Model for Simulation of Bioremediation of Hydrocarbons in Aquifers, by J.F. Muñoz, and M.J. Irarázaval; 215-224.

Conducting and Interpreting Slug Tests in Monitoring Wells with Partially Submerged Screens, by G.K. Binkhorst, and G.A. Robbins; 225-229.

Model Identification Criteria for Inverse Estimation of Hydraulic Parameters, by Y. Hyun, and K.-K. Lee; 230-239.

Utilization of Intrinsic Boron Isotopes as Co-Migrating Tracers for Identifying Potential Nitrate Contamination Sources, by J.M. Leenhouts, R.L. Bassett, and T. Maddock III; 240-250.

Obtaining Representative Ground Water Samples in a Fractured and Karstic Formation, by J. McCarthy, and L. Shevenell; 251-260.

A Comparison of Zero-Order, First-Order, and Monod Biotransformation Models, by B.A. Bekins, E. Warren, and E.M. Godsy; 261-268.

Predicting the Probability Distribution of Yield from Multiple Boreholes in Crystalline Bedrock, by D. Banks; 269-274.

Anomalously High Nitrate Concentrations in Ground Water, by J. Guimerà 275-282.

The Influence of Waterflood Design on the Recovery of Mobile DNAPLs, by J.I. Gerhard, and B.H. Kueper, G.R. Hecox; 283-292.

Determining Vertical Anisotropy Ratio Using a Graphical, Iterative Procedure Based on the Hantush Equation, by D.C. Schafer; 293-304.

Relationship Between Pumping-Test and Slug-Test Parameters: Scale Effect or Artifact? by J.J. Butler Jr., and J.M. Healey; 305-313.

Simplified Method of "Push-Pull" Test Data Analysis for Determining In Situ Reaction Rate Coefficients, by R. Haggerty, M.H. Schroth, and J.D. Istok; 314-324.

Behavior of Nitrate-Nitrogen Movement Around a Pumping High-Capacity Well: A Field Example, by J.F. Ayers, X. Chen, and D.C. Gosselin; 325-337.

Uses of Chloride/Bromide Ratios in Studies of Potable Water, by S.N. Davis, D.O. Whittemore, and J. Fabryka-Martin; 338-350.

Prediction of Regional Ground Water Flow to Streams, by S. Christensen, K.R. Rasmussen, and K. Møller; 351-360.

Use of Solute and Isotopic Composition of Ground Water to Constrain the Ground Water Flow System of the Azraq Area, Jordan, by N.S. Abu-Jaber, A.J. Ali, and K. Al Qudah; 361-365.

Solution of Ground Water Flow Problems with General Purpose and Special Purpose Computer Codes, by M.M. Gribb, and G. Sewell; 366-372.

AIRSLUG: A Fortran Program for the Computation of Type Curves to Estimate Transmissivity and Storativity from Prematurely Terminated Air-Pressurized Slug Tests, by E.A. Greene, and A.M. Shapiro; 373-375.

Volume 36, Number 3

Solute Changes During Aquifer Storage Recovery Testing in a Limestone/Clastic Aquifer, by J.E. Mirecki, B.G. Campbell, K.J. Conlon, and M.D. Petkewich; 394-403.

A Two-Tiered Approach to Reactive Transport: Application to Sr Mobility Under Variable pH, by L. Toran, S. Bryant, J. Saunders, and M.F. Wheeler; 404-408.

Assessment of Hydraulic Parameters of the Aquifers Around the Sea of Galilee, by G. Bergelson, R. Nativ, and A. Bein; 409-417.

Spatial Variation in Nitrogen Isotope Values Beneath Nitrate Contamination Sources, by G.E. Fogg, D.E. Rolston, D.L. Decker, D.T. Louie, and M.E. Grismer; 418-426.

Pumping Test Analysis for a Tidally Forced Aquifer, by M.G. Trefry, and C.D. Johnston; 427-433.

Using Stable Isotopes of Water and Strontium to Investigate the Hydrology of a Natural and a Constructed Wetland, by R.J. Hunt, T.D. Bullen, D.P. Krabbenhoft, and C. Kendall; 434-443.

A Measurement System to Determine Water Flux and Solute Transport Through Fractures in the Unsaturated Zone, by O. Dahan, R. Nativ, E. Adar, and B. Berkowitz; 444-449.

The Effects of Pore Pressure on the Conductivity of Fractured Aquifers, by J.S. Reichard, and D.I. Leap; 450-456.

Determination of Variances for Maximum and Minimum Transmissivities of Anisotropic Aquifers from Multiple Well Pumping Test Data, by J.W. Kern, and C.W. Dobson; 457-464.

Suitability of Parametric Models to Describe the Hydraulic Properties of an Unsaturated Coarse Sand and Gravel, by A. Mace, D.L. Rudolph, and R.G. Kachanoski; 465-475.

A Decision Support Model to Assess Vulnerability to Salt Water Intrusion in the Great Bend Prairie Aquifer of Kansas, by M. Sophocleous, and T. Ma; 476-483.

Preferential Flow and Transport of Nitrate and Bromide in Claypan Soil, by B.P. Kelly, and M.L. Pomes; 484-494.

Field Evaluation of Interfacial and Partioning Tracers for Characterization of Effective NAPL-Water Contact Areas, by M.D. Annable, J.W. Jawitz, P.S.C. Rao, D.P. Dai, H. Kim, and A.L. Wood; 495-502.

Effects of Sea Water Canals on Fresh Water Resources: An Example from Big Pine Key, Florida, by C.D. Langevin, M.T. Stewart, and C.M. Beaudoin; 503-513.

Semianalytical Evaluation of Three-Dimensional Velocity Near a Partially Penetrating Well in an Unconfined Aquifer, by V. Zlotnik, X. Chen, and B. Sun; 514-519.

A Controlled Experiment in Ground Water Flow Model Calibration, by M.C. Hill, R.L. Cooley, and D.W. Pollock; 520-535.

Volume 36, Number 4

The Determination of Glacial Till Specific Storage in North Dakota, by R.B. Shaver; 552-557.

Air Permeability of Porous Materials Under Controlled Laboratory Conditions, by D.S. Springer, H.A. Loaiciga, S.J. Cullen, and L.G. Everett; 558-565.

Experimental Evaluation of Factors Affecting Temporal Variability of Water Samples Obtained from Long-Screened Wells, by T.E. Reilly, and D.R. LeBlanc; 566-576.

Direct Simulation of Ground Water Age in the Rabis Creek Aquifer, Denmark, by P. Engesgaard, and J. Molson; 577-582.

Reductive Dissolution and Reactive Solute Transport in a Sewage-Contaminated Glacial Outwash Aquifer, by R.W. Lee, and P.C. Bennett; 583-595.

Hydrogeologic Controls on Radon-222 in a Buried Valley-Fractured Bedrock Aquifer System, by A.I. Veeger, and N.C. Ruderman; 596-604.

DNAPL Migration Through a Fractured Perching Layer, by D.B. Stephens, J.A. Kelsey, M.A. Prieksat, M.G. Piepho, C. Shan, and M.D. Ankeny; 605-610.

Characterizing a Ground Water Basin in a New England Mountain and Valley Terrain, by C.R. Tiedeman, D.J. Goode, and P.A. Hsieh; 611-620.

Assignment of Boundary Conditions in Embedded Ground Water Flow Models, by S.A. Leake, P.W. Lawson, M.R. Lilly, and D.V. Claar; 621-625.

Watershed Delineation and Ground Water Discharge to a Coastal Embayment, by T.C. Cambareri, and E.M. Eichner; 626-634.

Hydrogeochemical Processes and Facies in Confining Units of the Atlantic Coastal Plain in New Jersey, by A.A. Pucci Jr.; 635-644.

A Method to Infer In Situ Reaction Rates from Push-Pull Experiments, by M.F. Snodgrass, and P.K. Kitanidis; 645-650.

DNAPL Transport Through Macroporous, Clayey Till Columns, by P.R. Jørgensen, K. Broholm, T.O. Sonnenborg, and E. Arvin; 651-660.

A $^3H/^3He$ Study of Ground Water Flow in a Fractured Bedrock Aquifer, by W. Aeschbach-Hertig, P. Schlosser, M. Stute, H.J. Simpson, A. Ludin, and J.F. Clark; 661-670.

Characterizing Three-Dimensional Hydraulic Conductivity Distributions Using Qualitative and Quantitative Geologic Borehole Data: Application to a Field Site, by Z. Zhang, and M.L. Brusseau; 671-678.

Modeling a Complex Multi-Aquifer System: The Waterloo Moraine, by P.J. Martin, and E.O. Frind; 679-690.

Uncertainty Analyses of Fuel Hydrocarbon Biodegradation Signatures in Ground Water by Probabilistic Modeling, by W.W. McNab Jr., and B.P. Dooher; 691-698.

Volume 36, Number 5

Windowed Spatial Zooming in Finite-Difference Ground Water Flow Models, by F. Székely; 718-721.

Capture Zone Delineations on Island Aquifer Systems, by J.Z. Taylor, and M. Person; 722-730.

Sharp Interface Models of Salt Water Intrusion and Wellhead Delineation on Nantucket Island, Massachusetts, by M. Person, J.Z. Taylor, and S.L. Dingman; 731-742.

Arsenic Hydrogeochemistry in an Irrigated River Valley—A Reevaluation, by D.A. Nimick; 743-753.

How Observations and Structure Affect the Geostatisical Solution to the Steady-State Inverse Problem, by P.K. Kitanidis; 754-763.

A Wetland Simulation Module for the MODFLOW Ground Water Model, by J.I. Restrepo, A.M. Montoya, and J. Obeysekera; 764-770.

Encapsulated Cell Bioremediation: Evaluation on the Basis of Particle Tracer Tests, by C.R. Petrich, K.E. Stormo, D.R. Ralston, and R.L. Crawford; 771-778.

Imaging the Water Table by Filtering Self-Potential Profiles, by F.S. Birch; 779-782.

Aquifer Properties Determined from Two Analytical Solutions, by X. Chen and J.F. Ayers; 783-791.

Solute Transport Processes in a Highly Permeable Fault Zone of Lindau Fractured Rock Test Site (Germany), by T. Himmelsbach, H. Hötzl, and P. Maloszewski; 792-800.

Isotopic Constraints on Off-Site Migration of Landfill CH_4, by S. Desrocher and B. Sherwood Lollar; 801-809.

Displacement of Nonwetting Liquids from Unsaturated Sands by Water Infiltration, by T.M. Boley, and T.J. Overcamp; 810-814.

Chloride/Bromide and Chloride/Fluoride Ratios of Domestic Sewage Effluents and Associated Contaminated Ground Water, by A. Vengosh, and I. Pankratov; 815-824.

Virus Occurrence and Transport in a School Septic System and Unconfined Aquifer, by D.C. DeBorde, W.W. Woessner, B. Lauerman, and P.N. Ball; 825-834.

Lanthanide-Labeled Clay: A New Method for Tracing Sediment Transport in Karst, by B.J. Mahler, P.C. Bennett, and M. Zimmerman; 835-843.

Practical Approximations of the Well Function, by R. Srivastava, and A. Guzman-Guzman; 844-848.

Hydrogeochemical Interaction Between a Wetland and an Unconfined Glacial Drift Aquifer, Southwestern Michigan, by A.E. Kehew, R.N. Passero, R.V. Krishnamurthy, C.K. Lovett, M.A. Betts, and B.A. Dayharsh; 849-856.

Volume 36, Number 6

Procedures for Uncertainty Analyses Applied to a Landfill Leachate Plume, by K.C. Abbaspour, R. Schulin, M. Th. van Genuchten, and E. Schläppi; 874-883.

Dipole Probe: Design and Field Applications of a Single-Borehole Device for Measurements of Vertical Variations of Hydraulic Conductivity, by V.A. Zlotnik, and B.R. Zurbuchen; 884-893.

Probabilistic Analysis of Monitoring Systems for Detecting Subsurface Contaminant Plumes, by A.W. Warrick, M.H. Young, and P.J. Wierenga; 894-900.

The Relationship Between Hydrogeologic Properties and Sedimentary Facies: An Example from Pennsylvanian Bedrock Aquifers, Southwestern Indiana, by A.T. Fisher, M. Barnhill, and J. Revenaugh; 901-912.

Methodology for the Study of Unexploited Aquifers with Thermal Waters: Application to the Aquifer of the Alhama de Aragón Hot Springs, by E. Sanz and J.G. Yélamos; 913-923.

Spatial Variability in In Situ Aerobic Respiration and Denitrification Rates in a Petroleum-Contaminated Aquifer, by M.H. Schroth, J.D. Istok, G.T. Conner, M.R. Hyman, R. Haggerty, and K.T. O'Reilly; 924-937.

Evaluation of Multi-Well Test Data in a Faulted Aquifer Using Linear and Radial Flow Models, by D.M. Allen, and F.A. Michel; 938-948.

Water and Radioactive Tracer Flow in a Heterogeneous Field-Scale System, by F.M. Dunnivant, M.E. Newman, C.W. Bishop, D. Burgess, J.R. Giles, B.D. Higgs, J.M. Hubbell, E. Neher, G.T. Norrell, M.C. Pfiefer, I. Porro, R.C. Starr, and A.H. Wylie; 949-958.

Type Curves to Determine the Relative Importance of Advection and Dispersion for Solute and Vapor Transport, by J.A. Garges, and A.L. Baehr; 959-965.

Characterization of an Unregulated Landfill Using Surface-Based Geophysics and Geostatistics, by W.E. Woldt, M.E. Hagemeister, and D.D. Jones; 966-974.

Use of Multiple Isotope Tracers to Evaluate Denitrification in Ground Water: Study of Nitrate from a Large-Flux Septic System Plume, by R. Aravena, and W.D. Robertson; 975-982.

A Critique of a Steady-State Analytical Method for Estimating Contaminant Degradation Rates, by W.W. McNab Jr., and B.P. Dooher; 983-987.

Lateral Chloride Migration from a Landfill in a Fractured Clay-Rich Glacial Deposit, by L.D. McKay, D.J. Balfour, and J.A. Cherry; 988-999.

Review of Phosphate Mobility and Persistence in 10 Septic System Plumes, by W.D. Robertson, S.L. Schiff, and C.J. Ptacek; 1000-1010.

Improving a Complex Finite-Difference Ground Water Flow Model Through the Use of an Analytic Element Screening Model, by R.J. Hunt, M.P. Anderson, and V.A. Kelson; 1011-1017.

Book Reviews

Applied Ground-Water Hydrology and Well Hydraulics, by M. Kasenow. Reviewed by A.E. Springer, v. 36, no. 6: 869.

Aquifer Hydraulics: A Comprehensive Guide to Hydrological Data Analysis, by V. Batu. Reviewed by V.A. Zlotnik, v. 36, no. 4: 551.

The Design, Performance, and Analysis of Slug Tests, by J.J. Butler Jr. Reviewed by K. Novakowski, v. 36, no. 6: 871.

Environmental Hydrogeology, by M.M. Soliman, P.E. LaMoreaux, B.A. Memon, F.A. Assad, and J.W. LaMoreaux. Reviewed by G.A. Robbins, v. 36, no. 5: 714.

Environmental Isotopes in Hydrology, by I. Clark and P. Fritz. Reviewed by C. Kendall, v. 36, no. 4: 550.

Fluid Physics in Geology, by D.J. Furbish. Reviewed by S. Ge, v. 36, no. 1: 5.

Geochemical Reaction Modeling: Concepts and Applications, by C. Bethke. Reviewed by D.K. Nordstrom, v. 36, no. 2: 199.

Geochemistry of Natural Waters, 3rd ed., by J.I. Drever. Reviewed by C. Bowser, v. 36, no. 3: 391-392.

Groundwater Geochemistry, Fundamentals and Applications to Contamination, by W.J. Deutsch. Reviewed by G.L. Macpherson, v. 36, no. 3: 392-393.

Groundwater in Geologic Processes, by S.E. Ingebritsen and W.E. Sanford. Reviewed by C. Forster, v. 36, no. 6: 870.

The Hidden Sea, by F. H. Chapelle. Reviewed by R.C. Heath, v. 36, no. 2: 200.

Introduction to Aquifer Analysis, by M. Kasenow. Reviewed by J.J. Butler Jr., v. 36, no. 6: 869-870.

Introduction to Geostatistics: Applications in Hydrogeology, by P. Kitanidis. Reviewed by S.A. McKenna, v. 36, no. 3: 392.

Kinematic Wave Modeling in Water Resources: Environmental Hydrology, by V.P. Singh. Reviewed by R. Charbeneau, v. 36, no. 3: 391.

Permeable Barriers for Groundwater Remediation: Design, Construction, and Monitoring, by A.R. Gavaskar, N. Gupta, B.M. Sass, R.J. Janosy, and D. O'Sullivan. Reviewed by J. Eykholt, v. 36, no. 5: 715.

Physical and Chemical Hydrogeology (2nd ed.), by P.A. Domenico and F.W. Schwartz. Reviewed by M. Zreda, v. 36, no. 4: 550-551.

Remediation Engineering: Design Concepts, by S.S. Suthersan. Reviewed by E.H. Haddad, v. 36, no. 6: 870-871.

The Road to Love Canal: Managing Industrial Waste Before EPA, by C.E. Colton and P.N. Skinner. Reviewed by R.E. Jackson and M. Bonchonski, v. 36, no. 3: 393.

Valuing Ground Water: Economic Concepts and Approaches, by the National Research Council (Committee on Valuing Ground Water). Reviewed by B. Provencher, v. 36, no. 2: 199-200.

Water Wells, Implementation, Maintenance and Restoration, by M. Detay. Reviewed by J. Jansen, v. 36, no. 5: 714-715.

Software Spotlight

BTEX, by S. Lesage and P. Lapcevic. Reviewed by D.M. Diodato, v. 36, no. 1: 3.

DLG2DXF, by D. Bunch. Reviewed by D.M. Diodato, v. 36, no. 1: 4.

MINITAB 12.1 for Windows, by Minitab Inc. Reviewed by D.M. Diodato, C.E. Brown, and T.E. Bell, v. 36, no. 5: 716-717.

The MODFLOW Help File, by R. Winston. Reviewed by D.M. Diodato, v. 36, no. 1: 3.

SiCon, by H. Schwartz. Reviewed by D.M. Diodato, v. 36, no. 1: 4.

Single Well Solutions 2.11, by Streamline Groundwater Applications. Reviewed by M. McBride, D. Tomasko, and A. Williams, v. 36, no. 4: 548-549.

TWODAN 5.0, by Fitts GeoSolutions. Reviewed by D.M. Diodato, P. Bennett, and T. Filley, v. 36, no. 3: 389-390.

Discussion of Papers

Detailed Pumping Test to Characterize a Fractured Bedrock Aquifer, by J.D. Gernand and J.P. Heidtman (v. 35, no. 4: 632-637). Discussion by D.M. Allen and Reply by authors, v. 36, no. 2, 197-198.

Evidence for Ground Water Circulation in the Brine-Filled Aquitard, Oak Ridge, Tennessee, by R. Nativ, A. Halleran, and A. Hunley (v. 35, no. 4: 647-659). Discussion by G.R. Moline, C.T. Rightmire, R.H. Ketelle, and D.D. Huff and Reply by R. Nativ, v. 36, no. 5: 711-713.

Geoelectrical and Hydrogeochemical Studies for Delineating Ground Water Contamination Due to Salt Water Intrusion in the Northern Part of the Nile Delta, Egypt, by A.-A. M. Ebraheem, M.M. Senosy, and K.A. Danab (v. 35, no. 2: 216-222). Discussion by N.L. Narayana, v. 36, no. 5: 710-711.

Potential Inaccuracies in MODFLOW Simulations Involving the SIP and SSOR Methods for Matrix Solution, by J.L. Osiensky and R.E. Williams (v. 35, no. 2: 229-232). Discussion by Y. Lan and Reply by J.L. Osiensky, v. 36, no. 1: 2.

Relationship Between Pumping-Test and Slug-Test Parameters: Scale Effect or Artifact? by J.J. Butler Jr. and J.M. Healey (v. 36, no. 2: 305-313). Discussion by C.W. Rovey II and W.L. Niemann and Reply by authors, v. 36, no. 6: 866-868.

Quantifying Macropore Recharge: Examples from a Semi-Arid Area, by W.W. Wood, K.A. Rainwater, and D.B. Thompson (v. 35, no. 6: 1097-1106). Discussion by B. Joshi and Reply by authors, v. 36, no. 3: 387-388.

Using the Deconvolution Approach for Slug Test Analysis: Theory and Application, by C. Chakrabarty and C. Enachescu (v. 35, no. 5: 797-806). Discussion by M.D. Fort, P.M. Roberts, and P.S. Domski, v. 36, no. 2: 198; and Reply by authors, v. 36, no. 4: 547.

Editorials

Contaminant Hydrogeology in Developing Countries: Benefiting from Experience in Developed Countries, by D.N. Bethune, M. C. Ryan, M. Losilla P., v. 36, no. 3: 385.

Ethics and Hydrogeology, by R.C. Heath, v. 36, no. 6: 865.

MTBE—A Long-Term Threat to Ground Water Quality, by C. Andrews, v. 36, no. 5: 705.

Putting Hydrogeological Site Studies on Track, by H.E. LeGrand and L. Rosen, v. 36, no. 2: 193.

Quantification and Ground Water Hydrology, by T.N. Narasimhan, v. 36, no. 1: 1.

Virtual Water: A Strategic Resource, Global Solutions to Regional Deficits, by J.A. Allan, v. 36, no. 4: 545.

Technical Commentary

Something to Think About—Darcy-Buckingham's Law, by T.N. Narasimhan, v. 36, no. 2: 194-195.

Something to Think About—Drawing Contour Lines, by T.N. Narasimhan, v. 36, no. 5: 707-708.

Author Index of Volume 36, 1998

Abbaspour, K.C., R. Schulin, M. Th. van Genuchten, and E. Schläppi. *Procedures for Uncertainty Analyses Applied to a Landfill Leachate Plume,* v. 36, no. 6: 874-883.

Abu-Jaber, N.S., A.J. Ali, and K. Al Qudah. *Use of Solute and Isotopic Composition of Ground Water to Constrain the Ground Water Flow System of the Azraq Area, Jordan,* v. 36, no. 2: 361-365.

Aeschbach-Hertig, W., P. Schlosser, M. Stute, H.J. Simpson, A. Ludin, and J.F. Clark. *A $^{3}H/^{3}He$ Study of Ground Water Flow in a Fractured Bedrock Aquifer,* v. 36, no. 4: 661-670.

Allan, J.A. Editorial—*Virtual Water: A Strategic Resource, Global Solutions to Regional Deficits,* v. 36, no. 4: 545.

Allen, D.M. *Discussion of Detailed Pumping Test to Characterize a Fractured Bedrock Aquifer,* by J.D. Gernand and J.P. Heidtman (v. 35, no. 4: 632-637). Discussion and Reply by authors, v. 36, no. 2, 197-198.

Allen, D.M., and F.A. Michel. *Evaluation of Multi-Well Test Data in a Faulted Aquifer Using Linear and Radial Flow Models,* v. 36, no. 6: 938-948.

Andrews, C. Editorial—*MTBE—A Long-Term Threat to Ground Water Quality,* v. 36, no. 5: 705.

Annable, M.D., J.W. Jawitz, P.S.C. Rao, D.P. Dai, H. Kim, and A.L. Wood. *Field Evaluation of Interfacial and Partioning Tracers for Characterization of Effective NAPL-Water Contact Areas,* v. 36, no. 3: 495-502.

Aravena, R., and W.D. Robertson. *Use of Multiple Isotope Tracers to Evaluate Denitrification in Ground Water: Study of Nitrate from a Large-Flux Septic System Plume,* v. 36, no. 6: 975-982.

Ayers, J.F., X. Chen, and D.C. Gosselin. *Behavior of Nitrate-Nitrogen Movement Around a Pumping High-Capacity Well: A Field Example,* v. 36, no. 2: 325-337.

Banks, D. *Predicting the Probability Distribution of Yield from Multiple Boreholes in Crystalline Bedrock,* v. 36, no. 2: 269-274.

Bekins, B.A., E. Warren, and E.M. Godsy. *A Comparison of Zero-Order, First-Order, and Monod Biotransformation Models,* v. 36, no. 2: 261-268.

Bergelson, G., R. Nativ, and A. Bein. *Assessment of Hydraulic Parameters of the Aquifers Around the Sea of Galilee,* v. 36, no. 3: 409-417.

Bethune, D.N., M.C. Ryan, and M. Losilla P. Editorial—*Contaminant Hydrogeology in Developing Countries: Benefiting from Experience in Developed Countries,* v. 36, no. 3: 385.

Binkhorst, G.K., and G.A. Robbins. *Conducting and Interpreting Slug Tests in Monitoring Wells with Partially Submerged Screens,* v. 36, no. 2: 225-229.

Birch, F.S. *Imaging the Water Table by Filtering Self-Potential Profiles,* v. 36, no. 5: 779-782.

Boley, T.M., and T.J. Overcamp. *Displacement of Nonwetting Liquids from Unsaturated Sands by Water Infiltration,* v. 36, no. 5: 810-814.

Bowser, C. Review of book, *Geochemistry of Natural Waters,* 3rd ed., by J.I. Drever, v. 36, no. 3: 391-392.

Butler Jr., J.J. Review of book, *Introduction to Aquifer Analysis,* by M. Kasenow, v. 36, no. 6: 869-870.

Butler Jr., J.J., and J.M. Healey. *Relationship Between Pumping-Test and Slug-Test Parameters: Scale Effect or Artifact?* v. 36, no. 2: 305-313.

Butler Jr., J.J., and J.M. Healey. *Reply to discussion of Relationship Between Pumping-Test and Slug-Test Parameters: Scale Effect or Artifact?* by J.J. Butler Jr. and J.M. Healey (v. 36, no. 2: 305-313). Discussion by C.W. Rovey II and W.L. Niemann and Reply by authors, v. 36, no. 6: 866-868

Cambareri, T.C., and E.M. Eichner. *Watershed Delineation and Ground Water Discharge to a Coastal Embayment,* v. 36, no. 4: 626-634.

Charbeneau, R. Review of book, *Kinematic Wave Modeling in Water Resources: Environmental Hydrology,* by V.P. Singh, v. 36, no. 3: 391.

Chen, X., and J.F. Ayers. *Aquifer Properties Determined from Two Analytical Solutions,* v. 36, no. 5: 783-791.

Christensen, S., K.R. Rasmussen, and K. Møller. *Prediction of Regional Ground Water Flow to Streams,* v. 36, no. 2: 351-360.

Cravotta III, C.A. *Effect of Sewage Sludge on Formation of Acidic Ground Water at a Reclaimed Coal Mine,* v. 36, no. 1: 9-19.

Dahan, O., R. Nativ, E. Adar, and B. Berkowitz. *A Measurement System to Determine Water Flux and Solute Transport Through Fractures in the Unsaturated Zone,* v. 36, no. 3: 444-449.

Davis, S.N., D.O. Whittemore, and J. Fabryka-Martin. *Uses of Chloride/Bromide Ratios in Studies of Potable Water,* v. 36, no. 2: 338-350.

DeBorde, D.C., W.W. Woessner, B. Lauerman, and P.N. Ball. *Virus Occurrence and Transport in a School Septic System and Unconfined Aquifer,* v. 36, no. 5: 825-834.

Denis, R.E., and L.H. Motz. *Drawdowns in Coupled Aquifers with Confining Unit Storage and ET Reduction,* v. 36, no. 2: 201-207.

Desrocher, S., and B. Sherwood Lollar. *Isotopic Constraints on Off-Site Migration of Landfill CH_4,* v. 36, no. 5: 801-809.

Diodato, D.M. Review of software, *BTEX,* by S. Lesage and P. Lapcevic, v. 36, no. 1: 3.

Diodato, D.M. Review of software, *DLG2DXF,* by D. Bunch, v. 36, no. 1: 4.

Diodato, D.M. Review of software, *The MODFLOW Help File,* by R. Winston, v. 36, no. 1: 3.

Diodato, D.M. Review of software, *SiCon,* by H. Schwartz, v. 36, no. 1: 4.

Diodato, D.M. C.E. Brown, and T.E. Bell. Review of software, *MINITAB 12.1 for Windows,* by Minitab Inc., v. 36, no. 5: 716-717.

Diodato, D.M., P. Bennett, and T. Filley. Review of software, *TWODAN 5.0, by Fitts GeoSolutions,* v. 36, no. 3: 389-390.

Donaldson, J.H., J.D. Istok, and K.T. O'Reilly. *Dissolved Gas Transport in the Presence of a Trapped Gas Phase: Experimental Evaluation of a Two-Dimensional Kinetic Model,* v. 36, no. 1: 133-142.

Dunnivant, F.M., M.E. Newman, C.W. Bishop, D. Burgess, J.R. Giles, B.D. Higgs, J.M. Hubbell, E. Neher, G.T. Norrell, M.C. Pfiefer, I. Porro, R.C. Starr, and A.H. Wylie. *Water and Radioactive Tracer Flow in a Heterogeneous Field-Scale System,* v. 36, no. 6: 949-958.

Eykholt, J. Review of book, *Permeable Barriers for Groundwater Remediation: Design, Construction, and Monitoring,* by A.R. Gavaskar, N. Gupta, B.M. Sass, R.J. Janosy, and D. O'Sullivan, v. 36, no. 5: 715.

Enachescu, C. Reply to discussion of *Using the Deconvolution Approach for Slug Test Analysis: Theory and Application,* by C. Chakrabarty and C. Enachescu (v. 35, no. 5: 797-806). Discussion by M.D. Fort, P.M. Roberts, and P.S. Domski, v. 36, no. 2: 198; and Reply by authors, v. 36, no. 4: 547.

Engesgaard, P., and J. Molson. *Direct Simulation of Ground Water Age in the Rabis Creek Aquifer, Denmark,* v. 36, no. 4: 577-582.

Evers, S., and D.N. Lerner. *How Uncertain Is Our Estimate of a Wellhead Protection Zone?* v. 36, no. 1: 49-57.

Fisher, A.T., M. Barnhill, and J. Revenaugh. *The Relationship Between Hydrogeologic Properties and Sedimentary Facies: An Example from Pennsylvanian Bedrock Aquifers, Southwestern Indiana,* v. 36, no. 6: 901-912.

Fogg, G.E., D.E. Rolston, D.L. Decker, D.T. Louie, and M.E. Grismer. *Spatial Variation in Nitrogen Isotope Values Beneath Nitrate Contamination Sources,* v. 36, no. 3: 418-426.

Forster, C. Review of book, *Groundwater in Geologic Processes,* by S.E. Ingebritsen and W.E. Sanford, v. 36, no. 6: 870.

Fort, M.D., P.M. Roberts, and P.S. Domski. Discussion of *Using the Deconvolution Approach for Slug Test Analysis: Theory and Application,* by C. Chakrabarty and C. Enachescu (v. 35, no. 5: 797-806), v. 36, no. 2: 198; and Reply by authors, v. 36, no. 4: 547.

Garges, J.A., and A.L. Baehr. *Type Curves to Determine the Relative Importance of Advection and Dispersion for Solute and Vapor Transport,* v. 36, no. 6: 959-965.

Ge, S. Review of book, *Fluid Physics in Geology,* by D.J. Furbish, v. 36, no. 1: 5.

Gernand, J.D., and J.P. Heidtman. Reply to discussion of *Detailed Pumping Test to Characterize a Fractured Bedrock Aquifer,* by J.D. Gernand and J.P. Heidtman (v. 35, no. 4: 632-637). Discussion by D.M. Allen and Reply by authors, v. 36, no. 2, 197-198.

Gerhard, J.I., B.H. Kueper, and G.R. Hecox. *The Influence of Waterflood Design on the Recovery of Mobile DNAPLs,* v. 36, no. 2: 283-292.

Goff, K., M.E. Lewis, M.A. Person, and L.F. Konikow. *Simulated Effects of Irrigation on Salinity in the Arkansas River Valley in Colorado,* v. 36, no. 1: 76-86.

Greene, E.A., and A.M. Shapiro. *AIRSLUG: A Fortran Program for the Computation of Type Curves to Estimate Transmissivity and Storativity from Prematurely Terminated Air-Pressurized Slug Tests,* v. 36, no. 3: 373-375.

Gribb, M.M., and G. Sewell. *Solution of Ground Water Flow Problems with General Purpose and Special Purpose Computer Codes,* v. 36, no. 2: 366-372.

Guimerà, J. *Anomalously High Nitrate Concentrations in Ground Water,* v. 36, no. 2: 275-282.

Haddad, E.H. *Review of book, Remediation Engineering: Design Concepts,* by S.S. Suthersan, v. 36, no. 6: 870-871.

Haggerty, R., M.H. Schroth, and J.D. Istok. *Simplified Method of "Push-Pull" Test Data Analysis for Determining In Situ Reaction Rate Coefficients,* v. 36, no. 2: 314-324.

Heath, R.C. Editorial—*Ethics and Hydrogeology,* v. 36, no. 6: 865.

Heath, R.C. Review of book, *The Hidden Sea,* by F. H. Chapelle, v. 36, no. 2: 200.

Hill, M.C., R.L. Cooley, and D.W. Pollock. *A Controlled Experiment in Ground Water Flow Model Calibration,* v. 36, no. 3: 520-535.

Himmelsbach, T., H. Hötzl, and P. Maloszewski. *Solute Transport Processes in a Highly Permeable Fault Zone of Lindau Fractured Rock Test Site (Germany),* v. 36, no. 5: 792-800.

Hunt, R.J., M.P. Anderson, and V.A. Kelson. *Improving a Complex Finite-Difference Ground Water Flow Model Through the Use of an Analytic Element Screening Model,* v. 36, no. 6: 1011-1017.

Hunt, R.J., T.D. Bullen, D.P. Krabbenhoft, and C. Kendall. *Using Stable Isotopes of Water and Strontium to Investigate the Hydrology of a Natural and a Constructed Wetland,* v. 36, no. 3: 434-443.

Hyun, Y., and K.-K. Lee. *Model Identification Criteria for Inverse Estimation of Hydraulic Parameters,* v. 36, no. 2: 230-239.

Jackson, R.E., and M. Bonchonski. Review of book, *The Road to Love Canal: Managing Industrial Waste Before EPA,* by C.E. Colton and P.N. Skinner, v. 36, no. 3: 393.

Jansen, J. Review of book, *Water Wells, Implementation, Maintenance and Restoration,* by M. Detay, v. 36, no. 5: 714-715.

Jian, W.-B., H. Yao, X.-H. Wen, and B.-R. Chen. *A Nonlinear Time Series Model for Spring Flow: An Example from Shanxi Province, China,* v. 36, no. 1: 147-150.

Johnston, C.T., P.G. Cook, S.K. Frape, L.N. Plummer, E. Busenberg, and R.J. Blackport. *Ground Water Age and Nitrate Distribution Within a Glacial Aquifer Beneath a Thick Unsaturated Zone,* v. 36, no. 1: 171-180.

Jørgensen, P.R., K. Broholm, T.O. Sonnenborg, and E. Arvin. *DNAPL Transport Through Macroporous, Clayey Till Columns,* v. 36, no. 4: 651-660.

Joshi, B. Discussion of *Quantifying Macropore Recharge: Examples from a Semi-Arid Area,* by W.W. Wood, K.A. Rainwater, and D.B. Thompson (v. 35, no. 6: 1097-1106). Discussion and Reply by authors, v. 36, no. 3: 387-388.

Kehew, A.E., R.N. Passero, R.V. Krishnamurthy, C.K. Lovett, M.A. Betts, and B.A. Dayharsh. *Hydrogeochemical Interaction Between a Wetland and an Unconfined Glacial Drift Aquifer, Southwestern Michigan,* v. 36, no. 5: 849-856.

Kelly, B.P., and M.L. Pomes. *Preferential Flow and Transport of Nitrate and Bromide in Claypan Soil,* v. 36, no. 3: 484-494.

Kendall, C. Review of book, *Environmental Isotopes in Hydrology,* by I. Clark and P. Fritz, v. 36, no. 4: 550.

Kern, J.W., and C.W. Dobson. *Determination of Variances for Maximum and Minimum Transmissivities of Anisotropic Aquifers from Multiple Well Pumping Test Data,* v. 36, no. 3: 457-464.

Kitanidis, P.T. *How Observations and Structure Affect the Geostatisical Solution to the Steady-State Inverse Problem,* v. 36, no. 5: 754-763.

Lan, Y. Discussion of *Potential Inaccuracies in MODFLOW Simulations Involving the SIP and SSOR Methods for Matrix Solution,* by J.L. Osiensky and R.E. Williams (v. 35, no. 2: 229-232). Discussion and Reply by J.L. Osiensky, v. 36, no. 1: 2.

Langevin, C.D., M.T. Stewart, and C.M. Beaudoin. *Effects of Sea Water Canals on Fresh Water Resources: An Example from Big Pine Key, Florida,* v. 36, no. 3: 503-513.

Langsholt, E., N.-O. Kitterød, and L. Gottschalk. *Development of Three-Dimensional Hydrostratigraphical Architecture of the Unsaturated Zone Based on Soft and Hard Data,* v. 36, no. 1: 104-111.

Leake, S.A., P.W. Lawson, M.R. Lilly, and D.V. Claar. *Assignment of Boundary Conditions in Embedded Ground Water Flow Models,* v. 36, no. 4: 621-625.

Lee, R.W., and P.C. Bennett. *Reductive Dissolution and Reactive Solute Transport in a Sewage-Contaminated Glacial Outwash Aquifer,* v. 36, no. 4: 583-595.

Lee, S., D.C. McAvoy, J. Szydlik, and J.L. Schnoor. *Modeling the Fate and Transport of Household Chemicals in Septic Systems,* v. 36, no. 1: 123-132.

Leenhouts, J.M., R.L. Bassett, and T. Maddock III. *Utilization of Intrinsic Boron Isotopes as Co-Migrating Tracers for Identifying Potential Nitrate Contamination Sources,* v. 36, no. 2: 240-250.

LeGrand, H.E., and L. Rosen. Editorial—*Putting Hydrogeological Site Studies on Track,* v. 36, no. 2: 193.

Mace, A., D.L. Rudolph, and R.G. Kachanoski. *Suitability of Parametric Models to Describe the Hydraulic Properties of an Unsaturated Coarse Sand and Gravel,* v. 36, no. 3: 465-475.

Macpherson, G.L. Review of book, *Groundwater Geochemistry, Fundamentals and Applications to Contamination,* by W.J. Deutsch, v. 36, no. 3: 392-393.

Mahler, B.J., P.C. Bennett, and M. Zimmerman. *Lanthanide-Labeled Clay: A New Method for Tracing Sediment Transport in Karst,* v. 36, no. 5: 835-843.

Martin, P.J., and E.O. Frind. *Modeling a Complex Multi-Aquifer System: The Waterloo Moraine,* v. 36, no. 4: 679-690.

McBride, M., D. Tomasko, and A. Williams. Review of software, *Single Well Solutions 2.11, by Streamline Groundwater Applications,* v. 36, no. 4: 548-549.

McCarthy, J., and L. Shevenell. *Obtaining Representative Ground Water Samples in a Fractured and Karstic Formation,* v. 36, no. 2: 251-260.

McKay, L.D., D.J. Balfour, and J.A. Cherry. *Lateral Chloride Migration from a Landfill in a Fractured Clay-Rich Glacial Deposit,* v. 36, no. 6: 988-999.

McKenna, S.A. Review of book, *Introduction to Geostatistics: Applications in Hydrogeology,* by P. Kitanidis, v. 36, no. 3: 392.

McNab Jr., W.W., and B.P. Dooher. *A Critique of a Steady-State Analytical Method for Estimating Contaminant Degradation Rates,* v. 36, no. 6: 983-987.

McNab Jr., W.W., and B.P. Dooher. *Uncertainty Analyses of Fuel Hydrocarbon Biodegradation Signatures in Ground Water by Probabilistic Modeling,* v. 36, no. 4: 691-698.

Mirecki, J.E., B.G. Campbell, K.J. Conlon, and M.D. Petkewich. *Solute Changes During Aquifer Storage Recovery Testing in a Limestone/Clastic Aquifer,* v. 36, no. 3: 394-403.

Moline, G.R., C.T. Rightmire, R.H. Ketelle, and D.D. Huff. *Discussion of Evidence for Ground Water Circulation in the Brine-Filled Aquitard, Oak Ridge, Tennessee,* by R. Nativ, A. Halleran, and A. Hunley (v. 35, no. 4: 647-659). Discussion and Reply by R. Nativ, v. 36, no. 5: 711-713.

Morland, G., T. Strand, L. Furuhaug, H. Skarphagan, and D. Banks. *Radon in Quaternary Aquifers Related to Underlying Bedrock Geology,* v. 36, no. 1: 143-146.

Muñoz, J.F., and M.J. Irarrázaval. *A Numerical Model for Simulation of Bioremediation of Hydrocarbons in Aquifers,* v. 36, no. 2: 215-224.

Narasimhan, T.N. Editorial—*Quantification and Ground Water Hydrology,* v. 36, no. 1: 1.

Narasimhan, T.N. Technical Commentary—*Something to Think About—Darcy-Buckingham's Law,* v. 36, no. 2: 194-195.

Narasimhan, T.N. Technical Commentary—*Something to Think About—Drawing Contour Lines,* v. 36, no. 5: 707-708.

Narayana, N.L. Discussion of *Geoelectrical and Hydrogeochemical Studies for Delineating Ground Water Contamination Due to Salt Water Intrusion in the Northern Part of the Nile Delta, Egypt,* by A.-A. M. Ebraheem, M.M. Senosy, and K.A. Danab (v. 35, no. 2: 216-222), v. 36, no. 5: 710-711.

Nativ, R. Reply to disscussion of *Evidence for Ground Water Circulation in the Brine-Filled Aquitard, Oak Ridge, Tennessee,* by R. Nativ, A. Halleran, and A. Hunley (v. 35, no. 4: 647-659). Discussion by G.R. Moline, C.T. Rightmire, R.H. Ketelle, and D.D. Huff and Reply by R. Nativ, v. 36, no. 5: 711-713.

Nimick, D.A. *Arsenic Hydrogeochemistry in an Irrigated River Valley—A Reevaluation,* v. 36, no. 5: 743-753.

Nordstrom, D.K. Review of book, *Geochemical Reaction Modeling: Concepts and Applications,* by C. Bethke, v. 36, no. 2: 199.

Novakowski, K. Review of book, *The Design, Performance, and Analysis of Slug Tests,* by J.J. Butler Jr., v. 36, no. 6: 871.

O'Hannesin, S.F., and R.W. Gillham. *Long-Term Performance of an In Situ "Iron Wall" for Remediation of VOCs,* v. 36, no. 1: 164-170.

Osiensky, J.L. Reply to discussion of *Potential Inaccuracies in MODFLOW Simulations Involving the SIP and SSOR Methods for Matrix Solution,* by J.L. Osiensky and R.E. Williams (v. 35, no. 2: 229-232). Discussion by Y. Lan and Reply by J.L. Osiensky, v. 36, no. 1: 2.

Pang, L., M. Close, and M. Noonan. *Rhodamine WT and Bacillus subtilis Transport through an Alluvial Gravel Aquifer,* v. 36, no. 1: 112-122.

Person, M., J.Z. Taylor, and S.L. Dingman. *Sharp Interface Models of Salt Water Intrusion and Wellhead Delineation on Nantucket Island, Massachusetts,* v. 36, no. 5: 731-742.

Petrich, C.R., K.E. Stormo, D.R. Ralston, and R.L. Crawford. *Encapsulated Cell Bioremediation: Evaluation on the Basis of Particle Tracer Tests,* v. 36, no. 5: 771-778.

Provencher, B. Review of book, *Valuing Ground Water: Economic Concepts and Approaches,* by the National Research Council (Committee on Valuing Ground Water), v. 36, no. 2: 199-200.

Pucci Jr., A.A. *Hydrogeochemical Processes and Facies in Confining Units of the Atlantic Coastal Plain in New Jersey,* v. 36, no. 4: 635-644.

Reichard, J.S., and D.I. Leap. *The Effects of Pore Pressure on the Conductivity of Fractured Aquifers,* v. 36, no. 3: 450-456.

Reilly, T.E., and D.R. LeBlanc. *Experimental Evaluation of Factors Affecting Temporal Variability of Water Samples Obtained from Long-Screened Wells,* v. 36, no. 4: 566-576.

Restrepo, J.I., A.M. Montoya, and J. Obeysekera. *A Wetland Simulation Module for the MODFLOW Ground Water Model,* v. 36, no. 5: 764-770.

Robbins, G.A. Review of book, *Environmental Hydrogeology,* by M.M. Soliman, P.E. LaMoreaux, B.A. Memon, F.A. Assad, and J.W. LaMoreaux, v. 36, no. 5: 714.

Robertson, W.D., S.L. Schiff, and C.J. Ptacek. *Review of Phosphate Mobility and Persistence in 10 Septic System Plumes,* v. 36, no. 6: 1000-1010.

Rovey II, C.W., and W.L. Niemann. *Discussion of Relationship Between Pumping-Test and Slug-Test Parameters: Scale Effect or Artifact?* by J.J. Butler Jr. and J.M. Healey (v. 36, no. 2: 305-313). Discussion and Reply by authors, v. 36, no. 6: 866-868.

Sanz, E., and J.G. Yélamos. *Methodology for the Study of Unexploited Aquifers with Thermal Waters: Application to the Aquifer of the Alhama de Aragón Hot Springs,* v. 36, no. 6: 913-923.

Sawyer, C.S., and K.K. Lieuallen-Dulam. *Productivity Comparison of Horizontal and Vertical Ground Water Remediation Well Scenarios,* v. 36, no. 1: 98-103.

Schafer, D.C. *Determining Vertical Anisotropy Ratio Using a Graphical, Iterative Procedure Based on the Hantush Equation,* v. 36, no. 2: 293-304.

Schroth, M.H., J.D. Istok, G.T. Conner, M.R. Hyman, R. Haggerty, and K.T. O'Reilly. *Spatial Variability in In Situ Aerobic Respiration and Denitrification Rates in a Petroleum-Contaminated Aquifer,* v. 36, no. 6: 924-937.

Shapiro, A.M., and P.A. Hsieh. *How Good Are Estimates of Transmissivity from Slug Tests in Fractured Rock?* v. 36, no. 1: 37-48.

Shaver, R.B. *The Determination of Glacial Till Specific Storage in North Dakota,* v. 36, no. 4: 552-557.

Sidauruk, P., A.H.-D. Cheng, and D. Ouazar. *Ground Water Contaminant Source and Transport Parameter Identification by Correlation Coefficient Optimization,* v. 36, no. 2: 208-214.

Snodgrass, M.F., and P.K. Kitanidis. *A Method to Infer In Situ Reaction Rates from Push-Pull Experiments,* v. 36, no. 4: 645-650.

Sophocleous, M., and T. Ma. *A Decision Support Model to Assess Vulnerability to Salt Water Intrusion in the Great Bend Prairie Aquifer of Kansas,* v. 36, no. 3: 476-483.

Springer, A.E. Review of book, *Applied Ground-Water Hydrology and Well Hydraulics,* by M. Kasenow, v. 36, no. 6: 869.

Springer, D.S., H.A. Loaiciga, S.J. Cullen, and L.G. Everett. *Air Permeability of Porous Materials Under Controlled Laboratory Conditions,* v. 36, no. 4: 558-565.

Srivastava, R., and A. Guzman-Guzman. *Practical Approximations of the Well Function,* v. 36, no. 5: 844-848.

Stephens, D.B., J.A. Kelsey, M.A. Prieksat, M.G. Piepho, C. Shan, and M.D. Ankeny. *DNAPL Migration Through a Fractured Perching Layer,* v. 36, no. 4: 605-610.

Székely, F. *Windowed Spatial Zooming in Finite-Difference Ground Water Flow Models,* v. 36, no. 5: 718-721.

Tarshish, M. *Modifications of Combined Mathematical Model of Flow in an Aquifer-Vertical Well System,* v. 36, no. 1: 7-8.

Taylor, J.Z., and M. Person. *Capture Zone Delineations on Island Aquifer Systems,* v. 36, no. 5: 722-730.

Thorbjarnarson, K.W., D. Huntley, and J.J. McCarty. *Absolute Hydraulic Conductivity Estimates from Aquifer Pumping and Tracer Tests in a Stratified Aquifer,* v. 36, no. 1: 87-97.

Tiedeman, C.R., D.J. Goode, and P.A. Hsieh. *Characterizing a Ground Water Basin in a New England Mountain and Valley Terrain,* v. 36, no. 4: 611-620.

Ting, C.-S., Y. Zhou, J.J. deVries, and I. Simmers. *Development of a Preliminary Ground Water Flow Model for Water Resources Management in the Pingtung Plain, Taiwan,* v. 36, no. 1: 20-36.

Toran, L., S. Bryant, J. Saunders, and M.F. Wheeler. *A Two-Tiered Approach to Reactive Transport: Application to Sr Mobility Under Variable pH,* v. 36, no. 3: 404-408.

Trefry, M.G., and C.D. Johnston. *Pumping Test Analysis for a Tidally Forced Aquifer,* v. 36, no. 3: 427-433.

Veeger, A.I., and N.C. Ruderman. *Hydrogeologic Controls on Radon-222 in a Buried Valley-Fractured Bedrock Aquifer System,* v. 36, no. 4: 596-604.

Vengosh, A., and I. Pankratov. *Chloride/Bromide and Chloride/Fluoride Ratios of Domestic Sewage Effluents and Associated Contaminated Ground Water,* v. 36, no. 5: 815-824.

Warrick, A.W., M.H. Young, and P.J. Wierenga. *Probabilistic Analysis of Monitoring Systems for Detecting Subsurface Contaminant Plumes,* v. 36, no. 6: 894-900.

Weiss, R., and L. Smith. *Efficient and Responsible Use of Prior Information in Inverse Methods,* v. 36, no. 1: 151-163.

Woldt, W.E., M.E. Hagemeister, and D.D. Jones. *Characterization of an Unregulated Landfill Using Surface-Based Geophysics and Geostatistics,* v. 36, no. 6: 966-974.

Wood, W.W., K.A. Rainwater, and D.B. Thompson. Reply to discussion of *Quantifying Macropore Recharge: Examples from a Semi-Arid Area,* by W.W. Wood, K.A. Rainwater, and D.B. Thompson (v. 35, no. 6: 1097-1106). Discussion by B. Joshi and Reply by authors, v. 36, no. 3: 387-388.

Young, S. *Impacts of Positive Skin Effects on Borehole Flowmeter Tests in a Heterogeneous Granular Aquifer,* v. 36, no. 1: 67-75.

Zhang, C., E.L. Grossman, and J.W. Ammerman. *Factors Influencing Methane Distribution in Texas Ground Water,* v. 36, no. 1: 58-66.

Zhang, Z., and M.L. Brusseau. *Characterizing Three-Dimensional Hydraulic Conductivity Distributions Using Qualitative and Quantitative Geologic Borehole Data: Application to a Field Site,* v. 36, no. 4: 671-678.

Zlotnik, V.A. Review of book, *Aquifer Hydraulics: A Comprehensive Guide to Hydrological Data Analysis,* by V. Batu, v. 36, no. 4: 551.

Zlotnik, V.A., and B.R. Zurbuchen. *Dipole Probe: Design and Field Applications of a Single-Borehole Device for Measurements of Vertical Variations of Hydraulic Conductivity,* v. 36, no. 6: 884-893.

Zlotnik, V., X. Chen, and B. Sun. *Semianalytical Evaluation of Three-Dimensional Velocity Near a Partially Penetrating Well in an Unconfined Aquifer,* v. 36, no. 3: 514-519.

Zreda, M. Review of book, *Physical and Chemical Hydrogeology* (2nd ed.), by P.A. Domenico and F.W. Schwartz, v. 36, no. 4: 550-551.